

```
<?xml version="1.0" encoding="UTF-8"?>
<?oxygen
RNGSchema="http://www.tei-c.org/release/xml/tei/custom/schem
a/relaxng/tei_all.rng" type="xml"?>
<TEI xmlns:xi="http://www.w3.org/2001/XInclude"
xmlns="http://www.tei-c.org/ns/1.0">

  <teiHeader>
    <fileDesc>
      <titleStmt>
        <title>Diary Page</title>
        <author>David Livingstone </author>
      </titleStmt>
      <publicationStmt>
        <authority>Livingstone Online</authority>
        <pubPlace>London</pubPlace>
        <publisher>Wellcome Trust Centre for the History of
Medicine, University College London </publisher>
        <date>2011</date>
      </publicationStmt>
      <sourceDesc>
        <msDesc>
          <msIdentifier>
            <collection>x</collection><!-- insert owning
collection/institution name here -->
          </msIdentifier>

          <physDesc>
            <objectDesc>
              <ab>
                <biblStruct>
                  <monogr>
                    <title level="j">Under text</title>
                    <imprint>
```

```
        <biblScope
type="vol">-</biblScope><!-- complete if appropriate,
otherwise delete -->
            <biblScope
type="issue">-</biblScope><!-- if appropriate -->
                <biblScope
type="pp">-</biblScope><!-- if appropriate -->
                    <date>1869</date>
                </imprint>
            </monogr>
        </biblStruct>
    </ab>

</objectDesc>

    </physDesc>
</msDesc>
</sourceDesc>
</fileDesc>
<encodingDesc>
    <projectDesc>
        <p>-</p><!-- description of undertext / overtext
goes here -->
    </projectDesc>
</encodingDesc>
<profileDesc>

    <langUsage>
        <language ident="en">English</language>
    </langUsage>

</profileDesc>
<revisionDesc>
    <change>
```

```
<date>2011-02-xx</date>
<persName>x</persName> initial transcription. </change>

<change>
  <date>2011-03-xx</date>
  <persName>x</persName>
  XML encoding. </change>
<change>
  <date>2010-05-21</date>
  <name>x</name> proofreading. </change>

</revisionDesc>
</teiHeader>
<text>
  <body>
    <div>
      <ab>
        <milestone n="8v" unit="folio"/>
        <cb n="1"></cb><!-- lefthand column starts
here -->
        <lb n="1" facs="tbd"/><!-- i believe i
understood Doug to say that he will handle the insertion of
the facs value here --><fw>CXXXIX Journal = 20th June 1871 -
Two</fw>
        <lb n="2"/>of the party... <!-- line 2 here -->
        <lb n="3" /><!-- line 3 here -->
        <!-- etc. for the rest of the lines of text
before the horizontal line across the page marking a new
diary entry -->
        <milestone unit="section"/><!-- represents the
line across the page -->
        <lb n="11"/>21st ...
        <lb n="12"/><!-- line 12 here -->
        <!-- etc.-->
        <cb n="2"/><!-- right hand column starts here -->
```

file:/.../16 Project History/06 Digital Edition/Livingstone\_XML\_Template\_McAulay\_Feb\_2011.xml

```
<lb n="1" /><fw>CIVI Journal 26th July 1871-- </fw>
<lb n="2" />came up out of the last valley of
<lb n="3" /><!-- line 3 here -->
<!-- etc-->
</ab>
</div>

</body>
</text>
</TEI>
```